

M.J. TYLER: PUBLICATIONS
(1958 – 2008)

- Tyler, M.J. (1958). On the diet and feeding habits of the Edible Frog (*Rana esculenta* Linnaeus). *Proc. Zool. Soc. Lond.* **131**(4), 583-595.
- Tyler, M.J. (1959). *Piona* sp. (Acarina, Hydrachnellae) recovered from stomachs of *Rana esculenta* L. *Ent. Mon. Mag.* **65**, 79.
- Tyler, M.J. (1960). Observations on the diet and size variation of *Amphibolurus adelaidensis* (Gray) (Reptilia, Agamidae) on the Nullarbor Plain. *Trans. R. Soc. S. Aust.* **83**, 111-117.
- Tyler, M.J. (1961). A further note on mites recovered from frog stomachs. *Ent. Mon. Mag.* **97**, 217.
- Tyler, M.J. (1961). A preliminary note on herpetological data obtained from natives in the Central Highlands of New Guinea. *Brit. J. Herpet.* **2**(12), 219-220.
- Tyler, M.J. (1961). Food of *Halcyon sancta* in New Guinea. *Ibis* **103a**, 625.
- Tyler, M.J. (1961). On the diet and feeding habits of *Hemidactylus frenatus* (Duméril and Bibron) (Reptilia: Gekkonidae) at Rangoon, Burma. *Trans. R. Soc. S. Aust.* **84**, 45-49.
- de la Lande, I.S., Tyler, M.J. and Pridmore, B.R. (1962). Pharmacology of the heart of *Tiliqua* (*Trachysaurus*) *rugosa* (the Sleepy Lizard). *Aust. J. exp. Biol. med. Sci.* **40**, 129-138.
- Tyler, M.J. (1962). A record of the parasitism of New Guinea frogs' eggs by dipterous larvae. *W. Aust. Nat.* **8**(4), 102-103.
- Tyler, M.J. (1962). New hylid frog from the Central Highlands of New Guinea. *Rec. S. Aust. Mus.* **14**(2), 253-257.
- Tyler, M.J. (1962). Notes on the Papuan hylid frog, *Nyctimystes gularis* Parker. *Copeia* (2) 435-436.
- Tyler, M.J. (1962). Observations on the influence of frogs on the ecology of coffee plantations in the Western Highlands of New Guinea. *Papua New Guinea Agric. J.* **14**(4), 151-152.
- Tyler, M.J. (1962). On the possible existence of a giant frog in New Guinea. *Brit. J. Herpet.* **3**(2), 28-30.
- Tyler, M.J. (1962). On the preservation of Anuran tadpoles. *Aust. J. Sci.* **25**(5), 222.
- Tyler, M.J. (1962). Unusual observations on the lizard *Tiliqua* (*Trachysaurus*) *rugosa* (Gray). *S. Aust. Nat.* December, 22-23.
- Mann, K.H. and Tyler, M.J. (1963). Leeches as endoparasites of frogs. *Nature* **197**(4873), 1224-1225.
- Tyler, M.J. (1963). An account of collections of frogs from Central New Guinea. *Rec. Aust. Mus.* **26**(3), 113-130.
- Tyler, M.J. (1963). A taxonomic study of amphibians and reptiles of the Central Highlands of New Guinea, with notes on their ecology and biology. I. Anura: Microhylidae. *Trans. R. Soc. S. Aust.* **86**, 11-29.
- Tyler, M.J. (1963). A taxonomic study of amphibians and reptiles of the Central Highlands of New Guinea, with notes on their ecology and biology. II. Anura: Ranidae and Hylidae. *Trans. R. Soc. S. Aust.* **86**, 105-130.
- Tyler, M.J. (1964). Results of the Archbold Expeditions No. 85: A new hylid frog from the Eastern Highlands of New Guinea. *Amer. Mus. Novit.* (2187), 1-6.

- Tyler, M.J. (1964). Systematic position of the New Guinea frog *Hylella wolterstorffi* Werner. *Rec. S. Aust. Mus.* **14**(4), 675-678.
- Tyler, M.J. (1964). Transfer of the New Britain frog *Hyla brachypus* (Werner) to the microhylid genus *Oreophryne*. *Mitt. Zool. Mus. Berlin* **40**(1), 3-8.
- Tyler, M.J. (1964). Two new species of Australian frogs of the hylid genus *Nyctimystes*. *Trans. R. Soc. S. Aust.* **88**, 111-114.
- Cooper, C.J., de la Lande, I.S. and Tyler, M.J. (1965). The catecholamines in lizard heart. *Aust. J. exp. Biol. med. Sci.* **44**, 205-210.
- de la Lande, I.S. Tyler, M.J. and Thomas, D.W. (1965). Pharmacological analysis of the venom of the "Bulldog" ant *Myrmecia forficata*. *Recent Advances in the Pharmacology of Toxins* 71-75.
- Tyler, M.J. (1965). An economical bioassay bath for isolated tissues. *Aust. J. exp. Biol. med. Sci.* **43**, 685-686.
- Tyler, M.J. (1965). An investigation of the systematic position and synonymy of *Hyla montana* Peters and Doria (Anura: Hylidae). *Abh. Zool. Mus. Dresden* **27**(10), 265-270.
- Tyler, M.J. (1965). Taxonomic studies of some hylid frogs of Australia and New Guinea. *Proc. zool. Soc. Lond.* **145**(1), 91-106.
- Tyler, M.J. (1966). Frogs of South Australia. *S. Aust. Mus.* 40 pp.
- Tyler, M.J. and Pretty, G.L. (1966). A bizarre refuge for some Australian leptodactylid frogs. *Rec. S. Aust. Mus.* **15**, 360-361.
- Tyler, M.J., Parker, F. and Bulmer, R.N.H. (1966). Observations on endoparasitic leeches infecting frogs in New Guinea. *Rec. S. Aust. Mus.* **15**(2), 356-359.
- Tyler, M.J. (1967). A new species of frog of the hylid genus *Nyctimystes* from the Highlands of New Guinea. *Trans. R. Soc. S. Aust.* **91**, 191-195
- Tyler, M.J. (1967). Microhylid frogs of New Britain. *Trans. R. Soc. S. Aust.* **91**, 187-190.
- Tyler, M.J. (1967). *Notaden melanoscaphus*, a species of frog new to the fauna of Queensland. *N. Qld. Nat.* **34**(143), 7.
- Brown, W.C. and Tyler, M.J. (1968). Frogs of the genus *Platymantis* (Ranidae) from New Britain with descriptions of new species. *Proc. Biol. Soc. Washington* **81**, 69-86.
- Tyler, M.J. (1968). An additional Australian species of the hylid frog genus *Nyctimystes* with notes on *Hyla dayi* Günther. *Arkiv. Zool. Ser. 2*, **20**(22), 501-504.
- Tyler, M.J. (1968). A taxonomic study of hylid frogs of the *Hyla lesueuri* complex occurring in north-western Australia. *Rec. S. Aust. Mus.* **15**(4), 711-727.
- Tyler, M.J. (1968). Papuan hylid frogs of the genus *Hyla*. *Zool. Verh. Leiden* (96), 1-203.
- Woodruff, D.S. and Tyler, M.J. (1968). Additions to the frog fauna of South Australia. *Rec. S. Aust. Mus.* **15**(4), 105-109.
- Bulmer, R.N.H. and Tyler, M.J. (1968). Karam classification of frogs. *J. Polynesian Soc.* **77**, 333-385.
- Tyler, M.J. (1969). A synopsis of the frogs of the genus *Hyla* of north-western Australia, with the description of a new species. *Rec. S. Aust. Mus.* **16**(1), 1-11.
- Tyler, M.J. (1970). Obituary: Francis John Mitchell, 1929-1970. *Trans. R. Soc. S. Aust.* **94**, 249.

- Tyler, M.J. (1970). Patterns of distribution and the origins of the Papuan hylid frog fauna. *Search* **1**(5), 246-247.
- Tyler, M.J. (1970). The occurrence of bone pigmentation in Australian frogs. *Search* **1**(2), 75.
- Hall, R.C. and Tyler, M.J. (1971). A computer programme to estimate cardiac output directly from dye-dilution curves. *J. appl. Physiol.* **31**(1), 145-147.
- Tyler, M.J. (1971). Discovery in the Everard Ranges of a species of leptodactylid frog new to the fauna of South Australia. *Trans. R. Soc. S. Aust.* **95**(4), 215-217.
- Tyler, M.J. (1971). Observations on anuran myointegumental attachments associated with the vocal sac apparatus. *J. Nat. Hist.* **5**(2), 225-231.
- Tyler, M.J. (1971). Superficial mandibular musculature, vocal sacs and the phylogeny of Australo-Papuan leptodactylid frogs. *Rec. S. Aust. Mus.* **16**(9), 1-20.
- Tyler, M.J. (1971). The occurrence of the musculus cutaneous pectoris in the Anura. *Herpetologica* **27**, 150-152.
- Tyler, M.J. (1971). The phylogenetic significance of vocal sac structure in hylid frogs. *Univ. Kansas Publ. Mus. Nat. Hist.* **19**(4), 319-360.
- Tyler, M.J. (1971). Voluntary control of the shape of the inflated vocal sac by the Australian leptodactylid frog *Limnodynastes tasmaniensis*. *Trans. R. Soc. S. Aust.* **95**(1), 49-52.
- Tyler, M.J. and Menzies, J.I. (1971). A new species of microhylid frog of the genus *Sphenophryne* from Milne Bay, Papua. *Trans. R. Soc. S. Aust.* **95**(2), 79-83.
- Robinson, R.L. and Tyler, M.J. (1972). The catecholamine content of the adrenal glands of frogs as an index of phylogenetic relationships. *Comp. Gen. Pharmacol.* **3**(10), 167-170.
- Tyler, M.J. (1972). An analysis of the lower vertebrate faunal relationships of Australia and New Guinea. In D. Walker (Ed.) "Bridge and Barrier: The Natural and Cultural History of Torres Strait", pp. 231-256. Aust. Nat. Univ., Canberra.
- Tyler, M.J. (1972). A new genus for the Australian leptodactylid frog *Crinia darlingtoni*. *Zool. Meded.* **47**, 193-201.
- Tyler, M.J. and Parker, F. (1972). Additions to the hylid frog fauna of New Guinea, with description of a new species, *Litoria timida*. *Trans. R. Soc. S. Aust.* **96**(3), 157-163.
- Tyler, M.J., Martin, A.A. and Watson, G.F. (1972). A new species of hylid frog from New South Wales. *Proc. Linn. Soc. N.S.W.* **97**(1), 82-86.
- Tyler, M.J. (1973). An annotated bibliography of the frogs of New Guinea. *Sci. New Guinea* **1**(3), 51-82.
- Tyler, M.J. (1973). Endochondral ossification of the hyoid plate in Australo-Papuan hylid frogs. *Zool. Anz.* **189**(5-6), 331-336.
- Tyler, M.J. (1973). Frogs. In D.W.P. Corbett (Ed.) "Yorke Peninsula: A Natural History", pp. 95-99. University of Adelaide, Adelaide.
- Tyler, M.J. (1973). Patterns of distribution and the origins of the Papuan hylid frog fauna. In J.A. Peterson (Ed.) "Exploring the Web: readings in biology", pp. 211-214. [Edited reprint of paper No. 43]
- Tyler, M.J. and Dobson, J.J. (1973). On the identity, authorship and fate of the type specimens of *Rana caerulea*. *Herpetologica* **29**(4), 373-375.

- Tyler, M.J. and Ledo, W.W. (1973). The type locality of the leptodactylid frog *Neobatrachus centralis* Parker. *S. Aust. Nat.* **47**(4), 75-76.
- Tyler, M.J. and Roberts, J.D. (1973). Noteworthy range extensions for some South Australian frogs. *S. Aust. Nat.* **48**(2).
- Tyler, M.J. (1974). The systematic position and geographic distribution of the Australian frog *Chiroleptes alboguttatus* Günther. *Proc. R. Soc. Qld.* **85**(2), 27-32.
- Corben, C.J., Ingram, G.J. and Tyler, M.J. (1974). Gastric brooding: a unique form of parental care in an Australian frog. *Science* **186**, 946-947.
- Trueb, L. and Tyler, M.J. (1974). Systematics and evolution of the Greater Antillean hylid frogs. *Occ. Pap. Mus. Nat. Hist. Univ. Kansas* (24), 1-60.
- Tyler, M.J. (1974). Comment on the proposal to suppress *Hyla crucialis* Harlan, 1826 (Amphibia). *Z.N.S. 1982. Bull. zool. Nomencl.* **30**(3/4), 131-132.
- Tyler, M.J. (1974). First frog fossils from Australia. *Nature* **248**(5450), 711-712.
- Tyler, M.J. (1974). Superficial mandibular musculature and vocal sac structure of the Mexican Burrowing Toad *Rhinophrynus dorsalis*. *Herpetologica* **30**(3), 313-316.
- Tyler, M.J. and Parker, F. (1974). New species of hylid and leptodactylid frogs from Southern New Guinea. *Trans. R. Soc. S. Aust.* **98**(2), 71-78.
- Tyler, M.J. (1975). The Cane Toad *Bufo marinus*. An historical account and modern assessment. 26 pp. Mimeo. Vermin and Noxious Weeds Destruction Board, Victoria and Agricultural Protection Board, Perth. Reprinted as "The Cane Toad." Readings in Biology No. 1.
- Tyler, M.J. (1975). The ontogeny of the vocal sac of the Australian leptodactylid frog *Limnodynastes tasmaniensis*. *Trans. R. Soc. S. Aust.* **99**, 85-87.
- Tyler, M.J. and Anstis, M. (1975). Taxonomy and biology of the frogs of the *Litoria citropa* complex (Anura: Hylidae). *Rec. S. Aust. Mus.* **17**(5), 41-50.
- Tyler, M.J. and Martin, A.A. (1975). Australian leptodactylid frogs of the *Cyclorana australis* complex. *Trans. R. Soc. S. Aust.* **99**(2), 93-99.
- Twidale, C.R., Tyler, M.J. and Webb, B.P. (Eds) (1976). "Natural History of the Adelaide Region." Royal Society of South Australia, Adelaide.
- Tyler, M.J. (1976). "Frogs." William Collins, Sydney. 256 pp.
- Tyler, M.J. (1976). A new genus and two new species of leptodactylid frogs from Western Australia. *Rec. W. Aust. Mus.* **4**(1), 45-52.
- Tyler, M.J. (1976). Comment on revised proposals concerning *Cornufer unicolor* Tschudi, 1838 (Amphibian, Salientia). *Z.N. (S.) 1749. Bull. zool. Nomencl.* **32**(4), 201.
- Tyler, M.J. (1976). Comparative osteology of the pelvic girdle of Australian frogs and description of a new fossil genus. *Trans. R. Soc. S. Aust.* **100**(1), 3-14.
- Tyler, M.J. (1976). Vertebrate type-specimens in the South Australian Museum. II. Amphibians **17**(8), 177-180.
- Tyler, M.J., Gross, G.F., Rix, C.E. and Inns, R.W. (1976). Terrestrial fauna and aquatic vertebrates. In C.R. Twidale, M.J. Tyler and B.P. Webb (Eds) "Natural History of the Adelaide Region", pp. 121-129. Royal Society of South Australia, Adelaide.

- Menzies, J.I. and Tyler, M.J. (1977). The systematics and adaptations of some Papuan microhylid frogs which live underground. *J. Zool., Lond.* **183**, 431-464.
- Tyler, M.J. (1977). "Frogs of South Australia" (Revised Edition), pp. 1-50. South Australian Museum, Adelaide.
- Tyler, M.J. (1977). Frog. *In* D.N. Lapedes (Ed.) "McGraw-Hill Yearbook of Science & Technology", pp. 232-233. McGraw-Hill, New York.
- Tyler, M.J. (1977). Pleistocene frogs from caves at Naracoorte, South Australia. *Trans. R. Soc. S. Aust.* **101**(3), 85-89.
- Tyler, M.J. and Davies, M. (1977). A new species of hylid frog from Northern Australia. *Copeia* 1977, No.4, pp 620-623.
- Tyler, M.J. and Martin, A.A. (1977). Taxonomic studies of some Australian leptodactylid frogs of the genus *Cyclorana* Steindachner. *Rec. S. Aust. Mus.* **17**(15), 261-276.
- Tyler, M.J., Davies, M. and Martin, A.A. (1977). A new species of large, green tree frog from northern Western Australia. *Trans. R. Soc. S. Aust.* **101**(5), 133-138.
- Martin, A.A. and Tyler, M.J. (1978). The introduction into Western Australia of the frog *Limnodynastes tasmaniensis*. *Aust. Zool.* **19**(3), 321-325.
- Tyler, M.J. (1978). "Amphibians of South Australia." Govt Printer, Adelaide. 84 pp. (2nd Edition).
- Tyler, M.J. (1978). The systematic status of the Aru Islands microhylid frog, genus *Microbatrachus* Roux. *J. nat. Hist.*, **12**, 457-460.
- Tyler, M.J. and Davies, M. (1978). Phylogenetic relationships of Australian hyline and Neotropical phyllomedusine frogs of the family Hylidae. *Herpetologica* **34**(2), 219-224.
- Tyler, M.J. and Davies, M. (1978). Species-groups within the Australo-Papuan hylid frog genus *Litoria* Tschudi. *Aust. J. Zool. Suppl.* **63**, 1-47.
- Tyler, M.J., Davies, M. and King, M. (1978). The Australian frog *Chiroleptes dahlii* Boulenger: its systematic position, morphology, chromosomes and distribution. *Trans. R. Soc. S. Aust.* **102**(1), 17-24.
- Tyler, M.J., Davies, M. and Martin, A.A. (1978). A new species of hylid frog from the Northern Territory. *Trans. R. Soc. S. Aust.* **102**(6), 151-157.
- Davies, M., Tyler, M.J. and Martin, A.A. (1979). Frogs preyed on by ants? *Vict. Nat.* 1979, 97.
- Houston, T.F and Tyler, M.J. (1979). Reptiles and amphibians. *In* M.J. Tyler, C.R. Twidale and J.K. Ling (Eds) "Natural History of Kangaroo Island", pp. 115-122. Royal Society of South Australia, Adelaide.
- King, M., Tyler, M.J., Davies, M. and King, D. (1979). Karyotypic studies on *Cyclorana* and associated genera of Australian frogs. *Aust. J. Zool.* **27**, 699-708.
- Tyler, M.J. (1979) (Eds). The status of Endangered Australasian Wildlife. Royal Zoological Society of South Australia, Adelaide.
- Tyler, M.J. (1979). A new species of *Cophixalus* (Anura: Microhylidae) from Queensland, Australia *Copeia* 1979 (1), 118-121.
- Tyler, M.J. (1979). Herpetofaunal relationships of South America with Australia. *In* W.E. Duellman (Ed.) "The South American Herpetofauna: Its origin, evolution and dispersal", pp. 73-106. Monogr. (7), 1-485 Mus. Nat. Hist., The University of Kansas, Lawrence.

- Tyler, M.J. (1979). The impact of European Man upon Australasian Amphibians. In M.J. Tyler (Ed.) "The Status of Endangered Australasian Wildlife", pp. 177-184. Royal Zoological Society of South Australia, Adelaide.
- Tyler, M.J. (1979). The introduction and current distribution in the New Hebrides of the Australian hylid frog *Litoria aurea*. *Copeia* 1979 (2), 355-356.
- Tyler, M.J. and Davies, M. (1979). A new species of cave-dwelling, hylid frog from Mitchell Plateau, Western Australia. *Trans. R. Soc. S. Aust.* **103**(6), 149-153.
- Tyler, M.J. and Davies, M. (1979). Foam nest construction by Australian leptodactylid frogs (Amphibia, Anura, Leptodactylidae). *J. Herpetol.* **13**(4), 509-510.
- Tyler, M.J. and Davies, M. (1979). Redefinition and evolutionary origin of the Australo-Papuan hylid frog genus *Nyctimystes* Stejneger. *Aust. J. Zool.* **27**, 755-772.
- Tyler, M.J., Martin, A.A. and Davies, M. (1979). Biology and systematics of a new limnodynastine genus (Anura: Leptodactylidae) from north-western Australia. *Aust. J. Zool.* **27**, 135-150.
- Tyler, M.J., Twidale, C.R. and Ling, J.K. (1979) (Eds). "Natural History of Kangaroo Island." Royal Society of South Australia, Adelaide.
- Martin, A.A., Tyler, M.J. and Davies, M. (1980). A new species of *Ranidella* (Anura: Leptodactylidae) from northwestern Australia. *Copeia* (1), 93-99.
- Menzies, J.I., Tyler, M.J. and Zweifel, R.G. (1980). *Cophixalus* Boettger, 1892 (Amphibia, Salientia): Proposed designation of type species under the plenary powers. Z.N.(S.) 2298. *Bull. Zool. Nomencl.*
- Tyler, M.J. (1980). Introduced amphibians: the Cane Toad. In W.D. Williams (Ed.) "An ecological basis for water resource management", pp. 280-286. Australian National University, Canberra.
- Tyler, M.J. (1980). Early concepts of the origin of life. In D.W. Corbett (Eds) "Darwin and Evolution", pp. 51-58. Dept. of Continuing Education, University of Adelaide.
- Tyler, M.J. (1980). Frogs. In D.W.P Corbett (Ed.) "Field Guide to the Flinders Ranges", pp. 224-232. Rigby, Adelaide.
- Tyler, M.J. (1980). The evolutionary significance of the vocal sac of the European discoglossid frog *Bombina orientalis* (L.) (Amphibia, Salientia). *Acta Biol. Cracov., Ser. Zool.* **22**(1), 99-104.
- Tyler, M.J. (1980). The reaction to Darwin. In D.W. Corbett (Ed.) "Darwin and Evolution", pp. 51-58. Dept of Continutin Education, University of Adelaide.
- Tyler, M.J. and Davies, M. (1980). Systematic status of *Kankanophryne* Heyer & Liem (Anura: Leptodactylidae). *Trans. R. Soc. S. Aust.* **104**, 17-20.
- Tyler, M.J., Roberts, J.D. and Davies, M. (1980). Field observations on *Arenophryne rotunda* Tyler, a leptodactylid frog of coastal sandhills. *Aust. Wildl. Res.* **7**, 295-304.
- Crook, G.A. and Tyler, M.J. (1981). Structure and function of the tibial gland of the Australian frog *Limnodynastes dumerili* Peters. *Trans. R. Soc. S. Aust.* **105**, 49-52.
- Tyler, M.J. and Carter, D.B. (1981). Oral birth of the young of the gastric brooding frog *Rheobatrachus silus*. *Anim. Behav.* **29**, 280-282.

- Tyler, M.J. and Davies, M. (1981). Partial acquisition of pigmentation in an adult, albino, Australian leptodactylid frog (*Limnodynastes dumerili* Peters). *Trans. R. Soc. S. Aust.* **105**, 89.
- Tyler, M.J., Davies, M. and Martin, A.A. (1981). "Frogs of the Kimberleys." In C. Banks and A.A. Martin (Eds) Proceedings of the Melbourne Herpetological Symposium, May 1980, pp. 1-2. Zoological Board of Victoria, Melbourne.
- Tyler, M.J., Davies, M. and Martin, A.A. (1981). Australian frogs of the leptodactylid genus *Uperoleia* Gray. *Aust. J. Zool., Suppl. Ser.* **79**, 1-64.
- Tyler, M.J., Davies, M. and Martin, A.A. (1981). Frog fauna of the Northern Territory: new distributional records and the description of a new species. *Trans. R. Soc. S. Aust.* **105**(3), 149-154.
- Tyler, M.J., Davies, M. and Martin, A.A. (1981). New and rediscovered species of frogs from the Derby-Broome area of Western Australia. *Rec. W. Aust. Mus.* **9**(2), 147-172.
- Tyler, M.J., Watson G.F. and Martin, A.A. (1981). The Amphibia: Diversity and distribution. In A. Keast (Ed.) "Ecological Biogeography of Australia", pp. 1277-1301. W. Junk, The Hague.
- Fanning, J.C., Tyler, M.J. and Shearman, D.J.C. (1982). Converting a stomach to a uterus: the microscopic structure of the stomach of the gastric brooding frog *Rheobatrachus silus*. *Gastroenterology* **82**, 62-70.
- Horton, P. and Tyler, M.J. (1982). The female reproductive system of the Australian gastric brooding frog *Rheobatrachus silus* (Anura: Leptodactylidae). *Aust. J. Zool.* **30**, 857-863.
- Maxson, L.R., Tyler, M.J. and Maxson, R.D. (1982). Phylogenetic relationships of *Cyclorana* and the *Litoria aurea* species-group (Anura: Hylidae): a molecular perspective. *Aust. J. Zool.* **30**, 643-651.
- Taylor, P., Scroop, G.C., Tyler, M.J. and Davies, M. (1982). An ontogenetic and interspecific study of the renin-angiotensin system in Australian anuran Amphibia. *Comp. Biochem. Physiol.* **73A**(2), 187-191.
- Tyler, M.J. (1982). "Frogs." Collins, Sydney (2nd Edition). 256 pp.
- Tyler, M.J. (1982). "The hylid frog genus *Litoria* Tschudi: an overview." Proceedings of the New Zealand Herpetological Symposium, pp. 103-112.
- Tyler, M.J. (1982). Anuran amphibians: a decade of investigation. In P. Rich and J. Thompson (Eds) "The Fossil Vertebrate record of Australia", pp. 160-168. Monash Univ. Press, Clayton.
- Tyler, M.J. (1982). Frog husbandry. *Aust. Adv. Vet. Sci.* 278-279.
- Tyler, M.J. (1982). Tertiary frogs from South Australia. *Alcheringa* **6**, 101-103.
- Zweifel, R.G. and Tyler, M.J. (1982). Amphibia of New Guinea. In J.L. Gressitt (Ed.) "Biogeography and ecology of New Guinea." *Monographiae Biologicae* **42**, pp. 759-801. W. Junk, The Hague.
- Tyler, M.J., Davies, M. and Martin, A.A. (1982). Biology, morphology and distribution of the Australian fossorial frog *Cyclorana cryptotis* (Anura: Hylidae). *Copeia* 1982 (2), 260-264.
- Gibbins, I. and Tyler, M.J. (1983). Changes in the organisation and ultrastructure of smooth muscle cells in the stomach of the gastric brooding frog *Rheobatrachus silus* during brooding. *Cell and Tissue Research* **231**, 451-456.

- Thompson, M.B. and Tyler, M.J. (1983). Reptiles and Amphibians. *In* Tyler, M.J., Twidale, C.R., Ling, J.K. and Holmes J.W. (Eds) "Natural History of the South East", pp. 151-156. Royal Society of South Australia, Adelaide.
- Tyler, M.J. (1983). Frogs as environmental monitors. *Aust. Nat. Hist.* **21**(1), 31-33.
- Tyler, M.J. (1983). *Neobatrachus sutor* Main: a frog new to the fauna of South Australia. *Trans. R. Soc. S. Aust.* **107**(2), 129-130.
- Tyler, M.J. (Ed.) (1983). Introduction, pp. 1-4. Oral birth and perinatal behavior, pp 36-43. Evolution of gastric brooding, pp. 129-135. Phylogenetic relationships, pp. 136-140. Miscellany, pp. 141-147. *In* "The Gastric Brooding Frog." Croom Helm, London.
- Tyler, M.J. and Anstis, M. (1983). Replacement name for *Litoria glandulosa* Tyler & Anstis, 1975 (Anura: Hylidae). *Trans. R. Soc. S. Aust.* **107**(2), 130.
- Tyler, M.J. and Davies, M. (1983). Superficial features, pp. 5-15. Larval development, pp. 44-57. *In* "The Gastric Brooding Frog." Croom Helm, London.
- Tyler, M.J. and Davies, M. (1983). A new species of *Litoria* (Anura: Hylidae) from Irian Jaya, New Guinea. *Copeia* (3), 803-808.
- Tyler, M.J., Crook, G.A. and Davies, M. (1983). Reproductive biology of the frogs of the Magela Creek system, Northern Territory. *Rec. S. Aust. Mus.* **18**(18), 415-440.
- Tyler, M.J., Davies, M. and Martin, A.A. (1983). The frog fauna of the Barkly Tableland, Northern Territory. *Trans. R. Soc. S. Aust.* **107**(4), 237-242.
- Tyler, M.J., Shearman, D.J.C., Franko, R., O'Brien, P., Seamark, R.F. and Kelly, R. (1983). Inhibition of gastric acid secretion in the gastric brooding, frog *Rheobatrachus silus*. *Science* **220**, 609-610.
- Tyler, M.J., Twidale, C.R., Ling, J.K. and Holmes, J.W. (Eds) (1983). "Natural History of the South East." Royal Society of South Australia, Adelaide. Co-author of Introduction with C.R. Twidale.
- Tyler, M.J., Watson, G.F. and Davies, M. (1983). Additions to the frog fauna of the Northern Territory. *Trans. R. Soc. S. Aust.* **107**(4), 243-245.
- de la Lande, I.S., O'Brien, P.E., Shearman, D.J.C., Taylor, P. and Tyler, M.J. (1984). On the possible role of prostaglandin E₂ in intestinal stasis in the gastric brooding frog *Rheobatrachus silus*. *Aust. J. Exp. Biol. Med. Sci.* **62**, 317-323.
- Mahony, M., Tyler, M.J. and Davies, M. (1984). A new species of the genus *Rheobatrachus* (Anura: Leptodactylidae) from Queensland. *Trans. R. Soc. S. Aust.* **108**, 155-162.
- McDonald, K.R. and Tyler, M.J. (1984). Evidence of gastric brooding in the Australian leptodactylid frog *Rheobatrachus vitellinus*. *Trans. R. Soc. S. Aust.* **108**, 226.
- Shearman, D.J.C., Taylor, P., Tyler, M.J., O'Brien, P., Laidler, P. and Seamark, R.F. (1984). An update on the role of prostaglandins in the stomach and intestine of the Gastric Brooding Frog *Rheobatrachus silus*. *In* A. Allen *et al.* (Eds) "Mechanisms of mucosal protection in the upper gastrointestinal tract." Raven Press, New York.
- Tyler, M.J. (1984). "There's a frog in my throat stomach." Collins: Sydney.
- Tyler, M.J. and Davies, M. (1984). *Uperoleia* Gray (Anura: Leptodactylidae) in New Guinea. *Trans. R. Soc. S. Aust.* **108**, 123-125.

- Tyler, M.J., Smith L.A. and Johnston, R. (1984). "Frogs of Western Australia." Western Australian Museum, Perth.
- Maxson, L.R., Ondrula, D.P. and Tyler, M.J. (1985). An immunological perspective on evolutionary relationships in Australian frogs of the hylid genus *Cyclorana*. *Aust. J. Zool.* **33**, 17-22.
- Schwaner, T.D., Miller, B. and Tyler, M.J. (1985). Reptiles and Amphibians. In C.R. Twidale, M.J. Tyler and M. Davies (Eds) "Natural History of Eyre Peninsula" (Royal Society of S. Aust., Adelaide).
- Taylor, P.M., Tyler, M.J. and Shearman, D.J.C. (1985). Gastric acid secretion in the toad *Bufo marinus* with the description of a new technique for *in vivo* monitoring. *Comp. Biochem. Physiol.* **81A**, No.2, 325-327.
- Taylor, P.M., Tyler, M.J. and Shearman, D.J.C. (1985). Gastric emptying and intestinal transit in *Bufo marinus* and the actions of E prostaglandins. *Aust. J. Exp. Biol. Med. Sci.* **63**(2), 223-230.
- Twidale, C.R., Tyler, M.J. and Davies, M. (Eds) (1985). "Natural History of Eyre Peninsula" Royal Society of S. Aust., Adelaide.
- Tyler, M.J. (1985). A crisis in zoological nomenclature. *Search* **16**(9-12), 237.
- Tyler, M.J. (1985). Biogeography. In C.R. Twidale, M.J. Tyler and M. Davies (Eds) "Natural History of Eyre Peninsula." Royal Society of S. Aust., Adelaide.
- Tyler, M.J. (1985). Frog Index. National Photographic Index of Australian Wildlife. Australian Museum, Sydney. 2nd Edition.
- Tyler, M.J. (1985). Gastric brooding: a phenomenon unique to Australian frogs. *Search* **16**(5-6), 157-159.
- Tyler, M.J. (1985). Myobatrachidae. In "Amphibian species of the world." Association of Systematic Collections, Lawrence, Kansas.
- Tyler, M.J. (1985). Nomenclature of the Australian herpetofauna: anarchy rules O.K. *Herp. Rev.* **16**(3), 69.
- Tyler, M.J. (1985). Phylogenetic significance of the superficial mandibular musculature and vocal sac structure of sooglossid frogs. *Herpetologica* **41**(2), 173-176.
- Tyler, M.J. (1985). Quaternary fossil frogs from Skull Cave and Devil's Lair in the extreme South-west of Western Australia. *Rec. West. Aust. Mus.* **12**(2), 233-240.
- Tyler, M.J. (1985). The first collections of frogs from South Australia. *Mitt. zool. Mus. Berl.* **61**(2), 335-337.
- Tyler, M.J. (1985). The reproductive modes in Australian amphibia. In G. Grigg, R. Shine and H. Ehmann (Eds) "Biology of Australasian Frogs and Reptiles." Royal Zoological Society of N.S.W. and Surrey Beatty, Sydney.
- Tyler, M.J. and Davies, M. (1985). A new species of *Litoria* (Anura: Hylidae) from New South Wales, Australia. *Copeia* (1), 145-149.
- Tyler, M.J. and Davies, M. (1985). The gastric brooding frog. In G. Grigg, R. Shine and H. Ehmann (Eds) "Biology of Australasian Frogs and Reptiles." Royal Zoological Society of N.S.W. and Surrey Beatty, Sydney.
- Tyler, M.J. and Miller, C.A. (1985). Surface architecture of the dorsal epidermis in Australian frogs. *Trans. R. Soc. S. Aust.* **109**(2), 45-48.

- Tyler, M.J., Davies, M. and Walker, K.F. (1985). Abrasion injuries in burrowing frogs (Amphibia, Anura) from the Northern Territory, Australia. *Zool. Anz.* **214**, 54-60.
- Leong, A.S.-Y., Tyler, M.J. and Shearman, D.J.C. (1986). Gastric brooding: a new form in a recently discovered Australian frog of the genus *Rheobatrachus*. *Aust. J. Zool.* **34**, 205-209.
- Taylor, P.M. and Tyler, M.J. (1986). Pepsin in the toad *Bufo marinus*. *Comp. Biochem. Physiol.* **84A**(4), 669-672.
- Twidale, C.R., Tyler, M.J. and Davies, M. (Eds) (1986). "Ideas and Endeavours - the Natural Sciences in South Australia." Royal Society of S. Aust., Adelaide.
- Tyler, M.J. (1986). Additional records of *Australobatrachus ilius* (Anura: Hylidae) from the Tertiary of South Australia. *Alcheringa* **10**, 401-402.
- Tyler, M.J. (1986). On the systematic position and type locality of the frog *Pachybatrachus petersii* Keferstein. *Trans. R. Soc. S. Aust.* **110**(2), 91-92.
- Tyler, M.J. and Davies, M. (1986). "Frogs of the Northern Territory." Conservation Commission of the N.T., Alice Springs.
- Tyler, M.J. and Lungershausen, K. (1986). The ultrastructure of male nuptial pads in some Australo-Papuan frogs. *Trans. R. Soc. S. Aust.* **110**(1), 37-41.
- Tyler, M.J. and Watson, G.F. (1986). On the nomenclature of a hylid treefrog from Queensland. *Trans. R. Soc. S. Aust.* **109**(4), 193-194.
- Tyler, M.J., Davies, M. and Aplin, K. (1986). A new stream-dwelling species of *Litoria* (Anura: Hylidae) from New Guinea. *Trans. R. Soc. S. Aust.* **110**(2), 63-67.
- Tyler, M.J., Davies, M. and Watson, G.F. (1986). Frog fauna of Groote Eylandt, Northern Territory. *Proc. Linn. Soc. London* **88**, 91-100.
- Tyler, M.J. (1987). "An introduction to frogs." Bookshelf, Melbourne.
- Tyler, M.J. (1987). Do frogs need protection? *People Parks Preservtn* **5**, 15.
- Tyler, M.J. (1987). Frog and cane toad secretions. In J. Covacevich *et al.* (Eds) "Toxic plants and animals. A guide for Australia." Queensland Museum, Brisbane, pp 329-339.
- Tyler, M.J. and Crook, G.A. (1987). Frogs of the Magela Creek System. *Tech.Mem.* (19): 1-41. Supervising Scientist for the Alligator Rivers Region, Bondi Junction, N.S.W.
- Tyler, M.J., Davies, M. and Watson, G.F. (1987). Frogs of the Gibb River Road, Kimberley Division, Western Australia. *Rec. W. Aust. Mus.* **13**(3), 541-552.
- Tyler, M.J. (1988). Access to crown lands for field research. *Aust. Biol.* **1**(2), 15-17.
- Tyler, M.J. (1988). Comments on the proposed suppression of three works by R.W. Wells and C.R. Wellington (Case 2531). *Bull. zool. Nomencl.* **45**, 152.
- Tyler, M.J. (1988). Frogs and toads. In J.K. Blackshaw and D.J. Allan "Principles of laboratory animal management." 3rd Edtn. Australian Society for the Study of Animal Behaviour, Blacktown, N.S.W.
- Tyler, M.J. (1988). *Neobatrachus pictus* (Anura: Leptodactylidae) from the Miocene/Pliocene boundary of South Australia. *Trans. R. Soc.S. Aust.* **112**, 91.
- Tyler, M.J. (1989). "An Introduction to Frogs." (Revised U.K. edition.) Multimedia International, London.

- Tyler, M.J. (1989). "An Introduction to Frogs." (U.S.A. & Canada edition.) Multimedia International, London.
- Tyler, M.J. (1989). "Australian Frogs." Viking O'Neil, Melbourne.
- Tyler, M.J. (1989). A new species of *Lechriodus* (Anura: Leptodactylidae) from the Tertiary of Queensland, with a redefinition of the ilial characteristics of the genus. *Trans. R. Soc. S. Aust.* **113**, (1), 15-21.
- Tyler, M.J. (1989). Review of: "Metamorphosis. Stages in a life" by David Suzuki. (Allen & Unwin, Sydney). *Search* **20**(5).
- Bird, P. and Tyler, M.J. (1990). First South Australian record of the fossorial leptodactylid frog genus *Uperoleia*. *Trans. R. Soc. S. Aust.* **114**(4), 223-224.
- Read, J.L. and Tyler, M.J. (1990). The nature and incidence of post-axial, skeletal abnormalities in the frog *Neobatrachus centralis* Parker at Olympic Dam, South Australia. *Trans. R. Soc. S. Aust.* **114**(4), 213-217.
- Tyler, M.J. (1990). Amphibian type specimens in the South Australian Museum. *Rec. S. Aust. Mus.* **24**(1), 1-9.
- Tyler, M.J. (1990). Frogs and toads. In J.K. Blackshaw and D.J. Allan (Eds) "Principles of Laboratory Animal Management." (4th edition.) Aust. Soc. Study Anim. Behav., Blacktown.
- Tyler, M.J. (1990). Geographic distribution of the fossorial hylid frog *Cyclorana platycephala* (Günther) and the taxonomic status of *C. slevini* Loveridge. *Trans. R. Soc. S. Aust.* **114**, 81-85.
- Tyler, M.J. (1990). *Limnodynastes* Fitzinger (Anura: Leptodactylidae) from the Cainozoic of Queensland. *Mem. Qld Mus.* **28**(2), pp 779-784.
- Tyler, M.J. (1990). Review of: "Australian Ecosystems: 200 years of utilization, degradation and reconstruction", Editors: D.A. Saunders, A.J.M. Hopkins & R.A. How, 1990. *Search*, **21**(7), 237.
- Tyler, M.J. (1990). Review of: "Crocodiles and alligators." Ed. by C.A. Ross. (Golden Press, Sydney.) *Search* **21**(6), 205.
- Tyler, M.J. (1990). Reviews of: "Australia's Endangered Species", Editor: Michael Kennedy, 1990 (Simon Schuster, Gladesville); "Threatened Birds of Australia. An annotated list", Editors: Joost Brouwer & Stephen Garnett, 1990 (Royal Australian Ornithologists Union & Australian National Parks & Wildlife Service, Moonee Ponds.) *Search* **21**(7), 236.
- Tyler, M.J. (1990). Zoogeography. In M.J. Tyler, C.R. Twidale, M. Davies and C.B. Wells (Eds) "Natural History of the Northeast Deserts." Royal Society of S.A., Adelaide.
- Tyler, M.J., Edwards, M. and Johnstone, G. (1990). Amphibians and reptiles. In M.J. Tyler, C.R. Twidale, M. Davies and C.B. Wells (Eds) "Natural History of the North East Deserts." Royal Society of S.A., Adelaide.
- Tyler, M.J., Hand, S.J. and Ward, V.J. (1990). Analysis of the frequency of *Lechriodus intergerivus* Tyler (Anura: Leptodactylidae) in Oligo-Miocene local faunas of Riversleigh Station, Queensland. *Proc. Linn. Soc. N.S.W.* **112**(2), 105-109.
- Tyler, M.J., Twidale, C.R., Davies, M. and Wells, C.B. (Eds) (1990). "Natural History of the North East Deserts." Royal Society of S.A., Adelaide.
- Tyler, M.J. (1991). "Australian Frog List." 3rd Edition. (National Photographic Index of Australian Wildlife, Sydney.)

- Tyler, M.J. (1991). A large new species of *Litoria* (Anura: Hylidae) from the Tertiary of Queensland. *Trans. R. Soc. S. Aust.* **115**(2), 103-105.
- Tyler, M.J. (1991). Australian fossil frogs. Chap. 17, pp. 591—604. In Vickers-Rich, P., Monaghan, J.M., Baird, R.F and Rich T.H. (Eds) "Vertebrate Palaeontology of Australasia." (2nd edition.) Pioneer Design Studio, Melbourne.
- Tyler, M.J. (1991). Australian frogs. Australian National Parks & Wildlife Service, Canberra.
- Tyler, M.J. (1991). Biological nomenclature, classification and the ethnozoological specieme. In A. Pawley (Ed.) "Man and a half: Essays in Honour of Ralph Bulmer." University of Auckland, Auckland. pp. 154-157.
- Tyler, M.J. (1991). *Crinia* Tschudi (Anura: Leptodactylidae) from the Cainozoic of Queensland, with the description of a new species. *Trans. R. Soc. S. Aust.* **115**(2), 99-101.
- Tyler, M.J. (1991). Frog communication. In "Biology: the common threads." Australian Academy of Science, Canberra.
- Tyler, M.J. (1991). *Kyarranus* Moore (Anura: Leptodactylidae) from the Tertiary of Queensland. *Proc. R. Soc. Vic.* **103**(1), 47-51.
- Tyler, M.J. (1991). Our vanishing frogs. *Habitat* **19**(2), 20-25.
- Tyler, M.J. (1991). Review of: "Australian reptiles and frogs" by R.T. Hoser (Pierson, Mosman). *Aust. Nat. Hist.* **23**(8), 649.
- Tyler, M.J. (1991). Where have all the frogs gone? *Aust. Nat. Hist.* **23**(8), 618-625.
- Tyler, M.J., Davies, M. and Watson, G.F. (1991). The frog fauna of Melville Island, Northern Territory. *Beagle* **8**(1), 1—10.
- Tyler, M.T. (1991). Declining amphibian populations — a global phenomenon? An Australian perspective. *Alytes* **9**(2), 43-50.
- Stone, D.J.M., Blumenthal, T., Bowie, J.H. and Tyler, M.J. (1992). Detection of plasticisers in skin and glandular extracts of the Green Tree Frog *Litoria splendida*. *Rapid Comm. Mass Spectrom.* **6**, 400-402.
- Stone, D.J.M., Bowie, J.H., Tyler, M.J. and Wallace, J.C. (1992). The structure of caerin 1.1, a novel antibiotic peptide from Australian tree frogs. *J. Chem. Soc., Chem. Comm.* 1992, 1224-1225.
- Stone, D.J.M., Waugh, R.J., Bowie, J.H. Wallace, J.C., and Tyler, M.J. (1992). Peptides from Australian Frogs. The structures of the caerins and caeridin 1 from *Litoria splendida*. *J. Chem. Soc. Perkin Trans.*, 1992, 3173-3178.
- Tyler, M.J, Aslin, F.W. and Bryars, S. (1992). Early Holocene frogs from the Tantanoola Cave, South Australia. *Trans. R. Soc. S. Aust.* **116** (4), 153.
- Tyler, M.J. (1992). "A natural history museum. Behind the scenes." (Ashton Scholastic, Sydney).
- Tyler, M.J. (1992). "Earthworms." (Ashton Scholastic, Sydney.)
- Tyler, M.J. (1992). Environmental legislation: an impediment to documentation of environmental components. *Proc. Ecopolitics V.*, Sydney
- Tyler, M.J. (1992). Frogs as environmental monitoring organisms. pp. 163-187 of Australian Frogs. Reprinted in Proceedings of the Enviromine Conference, Sydney, 1992.

- Tyler, M.J. (1992). Vol. 1: Frogs. pp. 1—109. "Encyclopedia of Australian Animals." Collins, Angus & Robertson, Sydney
- Tyler, M.J., Stone, D.J.M. and Bowie, J.H. (1992). A novel method for the release and collection of dermal, glandular secretions from the skin of frogs. *J. Pharmacol. Toxicol. Methods*. **28**(4), 199-200.
- Bradford, A.M., Raftery, M.J., Bowie, J.H., Wallace, J.C. and Tyler, M.J. (1993). Peptides from Australian frogs. The structures of the dynastins from *Limnodynastes salmini* and fletcherin from *Limnodynastes fletcheri*. *Aust. J. Chem.* **46**,1235-1244
- Raftery, M.J., Bradford, A.M., Bowie, J.A., Wallace, J.C. and Tyler, M.J. (1993). Peptides from Australian frogs. The structures of the dynastins from the Banjo Frogs *Limnodynastes interioris*, *Limnodynastes dumerilii* and *Limnodynastes terraereginae*. *Aust. J. Chem.* **46**, 833-842.
- Stone, D.J.M., Waugh, R.J., Bowie, J.H., Wallace, J.L. & Tyler, M.J. (1993). Peptides from Australian frogs. The structures of the caerins from *Litoria caerulea*. *J. Chem. Res.* 138.
- Tyler, M.J. & Godthelp, H. (1993). A new species of *Lechriodus* Boulenger (Anura: Leptodactylidae) from the Early Eocene of Queensland. *Trans. R. Soc. S. Aust.* **117**(4),187-189.
- Tyler, M.J. (1993). Australian Amphibia. Proc. Int. Herpetol. Symp., St Louis 1992.
- Tyler, M.J. (1993) Editor. Proceedings of the International Symposium on "Evolution and Phylogeny of Frogs." *Ethol. Ecol. Evol.* **5**(2), 199-265.
- Tyler, M.J. (1993). Frogwatch: to shun a silent spring. *Aust. Nat. Hist.* **24**(5), 22-29.
- Tyler, M.J. (1993). Gastric brooding frogs. Proc. Int. Herpetol. Symp., St Louis 1992.
- Tyler, M.J. (1993). Preparation of the Australian Frog Action Plan. In D. Lunney and D. Ayers (Eds) Herpetology in Australia : a diverse discipline. Royal Zoological Society of New South Wales, Sydney.
- Tyler, M.J. (1993). Australian frogs. Australian Nature Conservation Agency, Canberra.
- Tyler, M.J. and Davies, M. (1993). Hylidae. pp. 58-63. In G.A. Ross (Ed.) Fauna of Australia Vol. 2 – Amphibia and Reptilia. Australian Government Publishing Service, Canberra.
- Tyler, M.J. and Hutchinson, M.L. (1993). Edgar R. Waite and "The Reptiles and Amphibians of South Australia." (Society for the Study of Amphibia & Reptilia, Ohio, U.S.A.) Introduction to facsimile reprint.
- Tyler, M.J., Davies, M. and Watson, G.F. (1993). Definition and general description of the Class Amphibia. pp. 1-9. In G.A. Ross (Ed.) Fauna of Australia Vol. 2 — Amphibia and Reptilia. Australian Government Publishing Service, Canberra.
- Waugh, R.J., Stone, D.J.M., Bowie, J.H., Wallace, J.C. and Tyler, M.J. (1993). Peptides from Australian frogs. The structure of the caeridins from *Litoria caerulea*. *J. Chem. Soc. Perkin Trans.* **1**, 573-576.
- Waugh, R.J., Stone, D.J.M., Bowie, J.H., Wallace, J.C. and Tyler, M.J. (1993). Peptides from Australian Frogs. The structures of the caerins and caeridins from *Litoria gilleni*. *J. Chem. Res.* 139.
- Read, J.L. and Tyler, M.J. (1994). Natural levels of abnormalities in the trilling frog (*Neobatrachus centralis*) at the Olympic Dam mine. *Bull. Environ. Contam. Toxicol.* **53**, 25-31.

- Steinborner, S.T., Gao, C., Rafferty, M.J., Waugh, R.J., Blumenthal, T., Bowie, J.H., Wallace, J.C. and Tyler, M.J. (1994). The structures of four Tryptophyllin and three Rubellidin peptides from the Australian Red Tree Frog *Litoria rubella*. *Aust. J. Chem.* **47**, 2099-2108.
- Tyler, M.J. (1994). "Australian Frogs. A natural history." (Revised Edition). (Reed, Sydney).
- Tyler, M.J. (1994). Climatic change and its implications for the amphibian fauna. *Trans. R. Soc. S. Aust.* **118**(1), 53-57.
- Tyler, M.J. (1994). Frogs of Western New South Wales, pp. 155-160. In D. Lunney, S. Hanÿ, P. Reed and D. Butcher (Eds) "Future of the Fauna of Western New South Wales." Royal Zoological Society of New South Wales, Mosman.
- Tyler, M.J. (1994). Hyliid frogs from the Mid-Miocene Camfield Beds of northern Australia. *Beagle* **11**, 141-144.
- Tyler, M.J. (1994). Second World Congress of Herpetology. *Herpetol.Rev.* **25**(3), 91-94.
- Tyler, M.J., Davies, M. and Watson, G.F. (1994). The hyliid frog *Litoria alboguttata* (Günther) in the Northern Territory. *Trans. R. Soc. S. Aust.* **118**(4), 267-268.
- Tyler, M.J., Godthelp, H. and Archer, M. (1994). Frogs from a Plio-Pleistocene site at Floraville Station, northwest Queensland. *Rec. S. Aust. Mus.* **27**(2), 169-173.
- Tyler, M.J., Leong, A.S.-Y. and Godthelp, H. (1994). Tumors of the ilia of modern and Tertiary Australian frogs. *J. Herpetol.* **28**(4), 528-529.
- Tyler, M.J., Smith, L.A. and Johnstone, R.E. (1994). "Frogs of Western Australia." (Second Edition) (Western Australian Museum, Perth).
- Williams, C.R. and Tyler, M.J. (1994). Spawn deposition behavior in Australian frogs (*Limnodynastes tasmaniensis* Günther) that fail to produce foam nests. *Herpet. Nat. Hist.* **2**(1), 111-113.
- Barker, J., Grigg, G.C. and Tyler, M.J. (1995). "A Field Guide to Australian Frogs." (Surrey Beatty, Chipping Camden, N.S.W.).
- Forbes, M.J., Tyler, M.J. and de la Lande, I.S. (1995). Allergic response to Brunei frog *Staurois natator*. *The Lancet* **345**:1581
- Tyler, M.J. (1995) Frogs. Encyclopedia of Australian Animals. Revised edition. (CD-ROM). Webster.
- Tyler, M.J. (1995). Frogs and drugs. *Aust. Nat. Hist.* **24**(12), 46-51.
- Tyler, M.J. (1995). Frogs and toads. In J.K. Blackshaw and D.J. Allan (Eds) "Principles of Laboratory Animal Management." (5th Edition). (University of Queensland, Brisbane).
- Tyler, M.J. (1995). Review of "Amphibian Biology Vol. 1. The Integument." *Aust. Zool.* **30**(1), 32-33.
- Tyler, M.J. and Duellman, W.E. (1995). Superficial mandibular musculature and vocal sac structure in hemiphractine hyliid frogs. *J. Morphol.* **224**, 65-71.
- Watson, G.F., Davies, M. and Tyler, M.J. (1995). Observations on temporary waters in northwestern Australia. *Hydrobiologia* **299**, 53-73.

- Waugh, R.J., Steinborner, S.T., Bowie, J.H., Wallace, J.C., Tyler, M.J., Hu, P. and Gross, M.L. (1995). Two isomeric α and β aspartyl dodecapeptides and their cyclic amino-succinyl analogue from the Australian green tree frog *Litoria gilleni*. *Aust. J. Chem.* **48**, 1981-1987.
- Bradford, A.M., Bowie, J.H., Tyler, M.J. and Wallace, J.C. (1996). New antibiotic uperin peptides from the dorsal glands of the Australian toadlet *Uperoleia mjobergii*. *Aust. J. Chem.* **49**, 1325-1331.
- Bradford, A.M., Raftery, M.J., Bowie, J.H., Tyler, M.J., Wallace, J.C., Adams, G.W. and Severini, C. (1996). Novel uperin peptides from the dorsal glands of the Australian flood-plain toadlet *Uperoleia inundata*. *Aust. J. Chem.* **49**, 475-484.
- Davies, M., Twidale, C.R. and Tyler, M.J. (1996). (Eds) 'Natural History of the Flinders Ranges', Royal Society of South Australia, Adelaide.
- Hutchinson, M.N. and Tyler, M.J. (1996) Reptiles and amphibians. Ch.13. In M. Davies, C.R. Twidale and M.J. Tyler (Eds). 'Natural History of the Flinders Ranges. Royal Society of South Australia, Adelaide.
- Raftery, M.J., Waugh, R.J., Bowie, J.H., Wallace, J.C. and Tyler, M.J. (1996). The structures of the frenatin and frenatidin peptides from the Giant Tree Frog *Litoria infrafrenata*, *J. Peptide Sci.* **2**, 117-124.
- Steinborner, S.T., Wabnitz, P.A., Bowie, J.H. and Tyler, M.J. (1996). The application of mass spectrometry to the study of evolutionary trends in amphibians. *Rapid Comm. Mass Spectrom.* **10**, 92-95.
- Steinborner, S.T., Wabnitz, P.A., Waugh, R.J., Bowie, J.H., Gao, C., Tyler, M.J. and Wallace, J.C. (1996). The structures of new peptides from the Australian Red Tree Frog *Litoria rubella*. The skin peptide profile as a guide to evolutionary trends of amphibians. *Aust. J. Chem.* **49**, 955-963.
- Tyler, M.J. (1996) A review of "The Reptiles and Amphibians of South Australia" by Edgar R. Waite. *Journal of Arid Environments*, 32.
- Tyler, M.J. (1996). Fossil frogs - an update. In Australian fossil frogs (Revised Edition) in P. Vickers-Rich, J.M. Monaghan, R.F. Baird and T.H. Rich (Eds). Vertebrate Palaeontology of Australasia. Pioneer, Melbourne.
- Tyler, M.J. (1996). "Frogs as Pets." A Guide to Keeping the Australian Green Tree Frog (*Litoria caerulea*). Graphic Print Group, Adelaide.
- Tyler, M.J., Barrie, J.A. and Walkley, R.W. (1996). First fossil record of the hylid frog *Litoria raniformis* (Keferstein). *Trans. R. Soc. S. Aust.* **120**(2), 69.
- Tyler, M.J., Danilov, I. and Calaby, J. (1996). Nineteenth century collections of Australian frogs in the Zoological Institute of the Russian Academy of Science. *Russian J. Herpetol.* **3**(2), 119-121.
- Tyler, M.J., Davies, M., Watson, G.F. and Williams, D.J. (1996). Significant extensions in northern Australia of the known geographic range of the Shield Shrimp *Triops australiensis*. *Hydrobiologia* **318**(3), 135-137.
- Tyler, M.J. and Williams, C.R. (1996). Mass frog mortality at two localities in South Australia. *Trans. R. Soc. S.Aust.* **120**, 179.
- Steinborner, S.T., Bowie, J.H., Tyler, M.J. and Wallace, J.C. (1997). An unusual combination of peptides from the skin glands of Ewing's Tree Frog, *Litoria ewingi*. Sequence determination and antimicrobial activity. *Aust. J. Chem.* **50**, 889-894.

- Steinborner, S.T., Waugh, R.J., Bowie, J.H. and Tyler, M.J. (1997). New caerin antibacterial peptides from the skin glands of the Australian Tree Frog *Litoria xanthomera*. Part 2. Sequence and determination using mass spectrometry and associated techniques. *Rapid Comm. Mass Spectrom.* **11**, 997-1000.
- Steinborner, S.T., Waugh, R.J., Bowie, J.H., Wallace, J.C., Tyler, M.J. and Ramsay, S.L. (1997). New caerin antibacterial peptides from the skin glands of the Australian tree frog *Litoria xanthomera*. *J. Peptide Sci.* **3**, 181-185.
- Tyler, M.J. (1997). Burrowing Frogs. In E.K. Webb (Ed.) "Windows on meteorology: Australian perspectives." CSIRO, Melbourne.
- Tyler, M.J. (1997). The Action Plan for Australian Frogs. (Wildlife Australia, Canberra).
- Tyler, M.J. (1997). Frogs. In Readers Digest Encyclopedia of Australian Wildlife. (Readers Digest, Sydney).
- Tyler, M.J. (1997). Frogs (Revised U.S.A. edition). Mondo, New York.
- Tyler, M.J. (1997). The exploitation of frogs: past, present and future. *Aust. Biol.* **10**(1), 65-69
- Tyler, M.J. (1997). Why Frogs could make good Museum and Botanical Garden live exhibits. *H.M.S. Beagle Log*, Washington, **2**(2), 28.
- Tyler, M.J. (1997). Environmentally friendly. A false sense of security? *Species*. No. 29.
- Bowie, J.H., Chia, C.S. and Tyler, M.J. (1998). Host defence peptides from the skin glands of Australian amphibians: a powerful chemical arsenal. *Pharmaceutical News* **5**(6), 16-21.
- Bowie, J.H., Chia, C.S.B., Tyler, M.J., Carver, J.A. and Wallace, J.C. (1998). The peptide arsenals of Australian tree frogs of the genus *Litoria*. *Chem. Aust.* 1998 (9), 45-48.
- Brodie, E.D. Jr., Williams, C.R. and Tyler, M.J. (1998). Evolution of aposematic behavior and coloration in the Australian frog genus *Uperoleia*. *J. Herp.* **32**(1), 136-139.
- Rozek, T, Waugh, R.J., Bowie, J.H., Steinborner, S.T., Tyler, M.J. and Wallace, J.C. (1998). The Maculatin Peptides from the skin glands of the Tree Frog *Litoria genimaculata*. A comparison of the structures and antibacterial activities of Maculatin 1.1 and the Caerin 1.1. *J. Peptide Sci.* **4**, 111-115.
- Tyler, M.J. (1998). A simple device to prevent small vertebrate animals from drowning in swimming pools. *Herp. Rev.* **29**(1), 34-35.
- Tyler, M.J., Davis, A.C., and Williams, C.R. (1998). Pleistocene Frogs from near Cooma, New South Wales. *Proc. Linn. Soc. of N.S.W* **119**, 107-113.
- Tyler, M.J. and Watson, G.F. (1998). Beneficial aspects of human changes to frog habitats in Australia. *Aust. Biol.* **10**(1), 65-69.
- Tyler, M.J. (1998). Australian frogs. *Wetlands Alive* **2**(2), 10-11.
- Wabnitz, P.A., Steinborner, S.T., Currie, G.J., Bowie, J.H. and Tyler, M.J. (1998). New Caerin 1 antibiotic peptides from the skin secretion of the Australian tree frog *Litoria chloris*. Part 2. Sequence determination using electrospray mass spectrometry. *Rapid Comm. Mass Spectrom* **12**, 53-56.
- Williams, C.R., Wallman, J.F. and Tyler, M.J. (1998). Toxicity of green tree frog (*Litoria caerulea*) skin secretion to the blowflies *Calliphora stygia* (Fabricius) and *Lucilia cuprina* (Weidemann) (Diptera: Calliphoridae). *Aust. J. Ent.* **37**, 85-89.

- Wabnitz, P.A., Walters, H., Tyler, M.J., Wallace, J.C. and Bowie, J.H. (1998). First record of host defence peptides in tadpoles. The magnificent tree frog *Litoria splendida*. *J. Peptide Res.*, **52**, 477-481.
- Tyler, M.J. (1999). Distribution patterns of amphibians in the Australo-Papuan Region. Ch.10, 541-563. In W.E. Duellman (Ed.) *Regional Patterns of Amphibian Distribution: a Global Perspective*. John Hopkins University Press, Baltimore.
- Tyler, M.J. (1999). Frogs and toads as experimental animals. *ANZCCART News* **12**(1), 1 - 4.
- Wabnitz, P.A., Bowie, J.H., Tyler, M.J. and Wallace, J.C. (1999). Peptides from the skin glands of the Australian Buzzing Tree Frog *Litoria electrica*. Comparison with the skin peptides of *Litoria rubella*. *Aust. J. Chem.* **52**, 639-645.
- Lauck, B. and Tyler, M.J. (1999). Iliac shaft curvature: a novel osteological feature distinguishing two closely related species of Australian frogs. *Trans. R. Soc. S. Aust.* **123**(3-4), 151-152.
- Wabnitz, P.A., Bowie, J.H. and Tyler, M.J. (1999). Caerulein-like peptides from the skin glands of the Australian Blue Mountains Tree Frog *Litoria citropa*. Part 1. Sequence determination using electrospray mass spectrometry. *Rapid Commun. Mass Spectrom.* **13**, 2498-2502.
- Tyler, M.J. (1999). "Australian Frogs. A Natural History." Reed New Holland, Sydney.
- Wabnitz, P.A., Bowie, J.H., Tyler, M.J., Wallace, J.C. and Smith, B.P. (1999). Aquatic sex pheromone from a male tree frog. *Nature* **401**, 444-445.
- Bowie, J.H., Wegener, K.L., Chia, B.C.S., Wabnitz, P.A., Carver, J.A., Tyler, M.J. and Wallace, J.C. (1999). Host defence antibacterial peptides from skin secretions of Australian amphibians. The relationship between structure and activity. *Protein & Peptide Letters* **6**, 259-269.
- Wabnitz, P.A., Bowie, J.H., Wallace, J.C. & Tyler, M.J. (1999). The citropin peptides from the Australian Blue Mountains Tree Frog *Litoria citropa*. Part 2: Sequence determination using electrospray mass spectrometry. *Rapid Commun. Mass Spectrom* **13**, 1724-1732.
- Wegener, K.L., Wabnitz, P.A., Carver, J.A., Bowie, J.H., Chia, B.C.S., Wallace, J.C. and Tyler, M.J. (1999). Host defence peptides from the skin glands of the Australian Blue Mountains Tree - Frog *Litoria citropa*. The antibacterial citropin 1 peptides. The solution structure of citropin 1.1. *European J. Biochem.* **265**, 627-637.
- Donnellan, S.C., Tyler, M.J., Monis, P., Barclay, A. and Medlin, A. (2000). Do skin peptide profiles reflect speciation in the Australian treefrog *Litoria caerulea* (Anura: Hylidae)? *Aust. J. Zool.* **48**, 33-46.
- Tyler, M.J. (2000) "The Amphibians of Java and Bali" by D.T. Iskander: book review. *Herp. Rev.* **31**(3), 195.
- Tyler, M.J., Smith, L.A. and Johnston, R.J. (2000). *Frogs of Western Australia* (3rd Revised Edition), Western Australian Museum, Perth.
- Wabnitz, P.A., Bowie, J.H., Tyler, M.J., Wallace, J.C. and Smith, B.P. (2000). Differences in the skin peptides of the male and female Australian Tree Frog *Litoria splendida*: the discovery of aquatic male sex pheromone splendipherin, together with Phe⁸ caerulein and a new antibiotic peptide caerin 1.10. *European J. Biochem.* **267**, 269-275.
- Wabnitz, P.A., Bowie, J.H., Wallace, J.A., and Tyler, M.J. (2000). The aurein peptides from the Australian Bell Frogs *Litoria aurea* and *Litoria raniformis* Part 2. Structure determination using electrospray mass spectrometry. *Rapid commun. Mass spectrom*, **14**, 119-131.

- Williams, C.R., Brodie, E.D. Jr., Tyler, M.J. and Walker, S.J. (2000). Antipredator mechanisms of Australian frogs. *J. Herpetol.* **34**(3), 431-443.
- Tyler, M.J. (2000). "Herpetological Bibliography of Indonesia" by I. Das.: book review. *Herpetofauna* **32**(2), 56.
- Tyler, M.J. and Davies, M (2000). Developmental biology and larval morphology of the frog *Limnodynastes depressus* Tyler (Myobatrachidae: Limnodynastinae). *Trans. R. Soc. S.Aust.* **124**, 169-175.
- Rozek, T., Bowie, J.H., Wallace, J.C. and Tyler, M.J. (2000) The antibiotic and anticancer active aurein peptides from the Australian Bell Frogs *Litoria aurea* and *Litoria raniformis*. Part 2 sequence determination using electro spray mass spectrometry. *Rapid Commun. Mass Spectrom* **14**, 2002-2011.
- Rozek, T., Wegener, K.L., Bowie, J.H., Oliver, I.N., Carver, J.C., Wallace, J.C. and Tyler, M.J. (2000). The antibiotic and anticancer active aurein peptides from the Australian Bell Frogs *Litoria aurea* and *Litoria raniformis* : the solution structure of aurein 1.2. *European J. Biochem* **267**, 5330-5341.
- Smith, B.P., Zini, C.A., Pawlisch, J., Tyler, M.J., Hayasaka, Y. and Williams, C. (2000). Solid-phase microextraction as a tool for studying volatile compounds in frog skin. *Chemistry and Ecology* **17**, 215-225.
- Tyler, M.J., Burton, T. and Bauer, A.M. (2001). Parotoid or parotid: on the nomenclature of an amphibian skin gland. *Herp. Rev.* **32**(2), 79-81.
- Brown, V. and Tyler, M.J. (2001) A record number of eggs laid by a native Australian frog species. *Herpetofauna* **31**(2), 134-135.
- Myers, T., Crosby, K., Archer, M. and Tyler, M.J. (2001). The Encore Local fauna, a late Miocene assemblage from Riversleigh, northwestern Queensland. *Mem. Assoc. Australas. Palaeon.* **25**: 147 – 154.
- Wegener, K.L., Brinkworth, C.S., Bowie, J.H., Wallace, J.C. and Tyler, M.J. (2001) Bioactive dahlein peptides from the skin secretions of the Australian aquatic frog *Litoria dahlii*. Sequence determination by electrospray mass spectrometry. *Rapid Commun. Mass Spectrom.* **15**, 1726-1734.
- Boontheung, P., Alewood, P.F., Brinkworth, C.S., Bowie, J.H., Wabnitz, P.A. and Tyler, M.J. (2002) Negative ion electrospray mass spectra of caerulein peptides: an aid to structural determination. *Rapid Commun. Mass Spectrom.* **16**, 281-286.
- Smith B.P., Tyler, M.J., Kaneko, T., Garraffo, H.M., Spande, T.F. and Daly, J.W. (2002). Evidence for biosynthesis of pseudophrynamine alkaloids by an Australian myobatrachid frog (*Pseudophryne*) and for sequestration of dietary pumiliotoxins. *J. Nat.Prods.* **65**(4), 439-447.
- Doyle, J., Llewellyn, L.E., Brinkworth, C., Bowie, J.H., Wegener, K.L., Rozek, T., Wabnitz, P.A., Wallace, J.C. and Tyler, M.J. (2002) Amphibian peptides that inhibit neuronal nitric oxide synthase. The isolation of Lesueurin from the skin secretion of the Australian Stony Creek Frog *Litoria lesueuri*. *European J. Biochem.* **269**, 100-109.
- Menzies, J.I., Russell, L., Tyler, M.J. and Mountain, M.J. (2002). Fossil frogs from the central highlands of New Guinea. *Alcheringa* **26**, 341-351.
- Hutchinson, M. and Tyler, M.J. (2002). Reptiles and Amphibians. In M. Davies, C.R. Twidale and M.J. Tyler (Eds) "Natural History of Kangaroo Island." Royal Society of South Australia, Adelaide. 1 11-118.

- Davies, M., Twidale, C.R. and Tyler, M.J. (Eds) (2002). "Natural History of Kangaroo Island." Royal Society of South Australia, Adelaide.
- Tyler, M.J. (2002). "Amphibians of Central and Southern Africa" by A. Channing: book review. *Herpetofauna* **32**(1), 37.
- Brinkworth, C.S., Bowie, J.H., Tyler, M.J. and Wallace, J.C. (2002). A comparison of the host defence skin peptides of the New Guinea Tree Frog (*Litoria genimaculata*) and the Fringed Tree Frog (*Litoria eucnemis*). The link between the caerin and the maculatin antimicrobial peptides. *Aust. J. Chem.* **55**, 605-610.
- Mann, R.M., Bidwell, J.R. and Tyler, M.J. (2003) Toxicity of herbicide formulations to frogs and implication for product registration: a case study from Western Australia. *Applied Herpetol.* **1**, 13–22.
- Doyle, J., Brinkworth, C.S., Wegener, K.L., Llewellyn, L.E., Carver, J.A., Olver, I.N., Bowie, J.H. Wabnitz, P.A. and Tyler, M.J. (2003). nNOS inhibition, antimicrobial and anticancer activity of the amphibian skin peptide, the solution structure of a modified citropin 1.1. *Europ. J. Biochem.* **270**, 1141-1153.
- Wegener, K.L., Brinkworth, C.S., Doyle, J., Bowie, J.H., Carver, J.A., Llewellyn, L.E., Olver, I.N., Wallace, J.C. and Tyler, M.J. (2003). The isolation of the dahlein peptides from the skin secretion of Dahl's aquatic frog *Litoria dahlii*: the solution structure of the related peptide frenatin 3. *Europ. J. Biochem.* **270**,
- Grant-Mackie, J.A., Bauer, A.M. and Tyler, M. J. (2003). Stratigraphy and herpetofauna of Me Aure Cave (site WMD 007) Moindou, New Caledonia. In C. Sand (Ed) Pacific Archeology: assessments and prospects. Proceedings of the Conference for the 50th Anniversary of the first Lapita Excavation. 295 – 306.
- Tyler, M.J., Megirian, D. and Russell, L. (2003). Additional frogs from the mid-Miocene Camfield Beds of Camfield Station, Northern Territory, Australia. *The Beagle*. **19**:137-142.
- Smith, B.P.C., Tyler, M.J., Williams, B.D. and Hayasaka, Y. (2003). Chemical and Olfactory characterization of odorous compounds and their precursors in the parotid gland secretion of the Green Tree Frog, *Litoria caerulea*. *J. Chem. Ecol.* **29**, 2085-2100.
- Tyler, M.J. (2003). The Gross Anatomy of the Reproductive System. In Jamieson (Ed) "Reproductive Biology and Phylogeny of Anura." *Science Publishers, Enfield, New Hampshire, USA*.
- Tyler, M.J. (2004) "Yes It's True! Frogs Are Cannibals" pp 1-88. *Allen and Unwin*, Melbourne.
- Menzies, J.I., and Tyler, M.J. (2004) *Litoria gracilentia* (Anura:Hylidae) and related species in New Guinea. *Aust. J. Zool.* **52**: 191 – 214.
- Berger, L., Speare, R., Hines, H.B., Marantelli, G., Hyatt, A.D., Olsen, V, McDonald, K.R., Clarke, J., Gillespie, G., Mahony, M., Sheppard, N., Williams, C. and Tyler, M.J. (2004). Mortality in amphibians due to Chytridiomycosis increases in Winter and with lower experimental temperatures. *Aust. Vet. J.* **82**(7) : 31-36
- Apponyi, M.A., Pukala, T.L., Brinkworth, C.S., Maselli, V.M., Bowie, J.H., Tyler, M.J., Booker, G.W., Wallace, J.C., Carver, J.A., Separovic, F., Doyle, J., and Llewellyn, L.E., (2004). Host defence peptides of Australian anurans: structure, mechanisms of action and evolutionary significance. *Peptides*. **25** : 1035 – 1054
- Smith, B.P.C., Williams, C.R., Tyler, M.J. and Williams, B.D. (2004). A survey of frog odorous secretions, their possible functions and phylogenetic significance. *Appl. Herpetol.* **2**:47-82

- Maselli, V.M., Brinkworth, C.S., Bowie, J.H. and Tyler, M.J. (2004). Host defence peptides of the Australian Common Froglet, *Crinia signifera*: sequence determination using positive and negative ion electrospray mass spectra. *Rapid Commun. Mass Spectrom.* 18: 2155 – 2161.
- Brinkworth, C.S., Pukala, T.L., Bowie, J.H. and Tyler, M.J. (2004). Host defence peptides from the skin glands of Australian amphibians. Caerulein neuropeptides and antimicrobial, anticancer, and nNOS inhibiting citropins from the glandular frog *Litoria subglandulosa*. *Aust. J. Chem.* 57, 693 – 701.
- Tyler, M.J. (2004) Frogs of Australia, an introduction to their classification, biology and distribution. By J.R.Turner (book review). *Herpetofauna.* 34(2), 127 – 128.
- Smith, B.P.C., Hayasaka, Y., Tyler, M.J. and Williams, B.D. (2004) β -caryophyllene in the skin secretion of the Australian Green Tree Frog, *Litoria caerulea* White: an investigation of dietary sources. *Aust. J. Zool.* 52, 1 – 10.
- Price, G., Tyler, M.J. and Clarke, B.C. (2005). Pleistocene frogs from the Darling Downs, southeastern Queensland, Australia. *Alcheringa.* 29(1), 171 – 182.
- Graham, L.D., Glattauer, V., Huson, M.G., Maxwell, J.M., Knott, R.B., White, J.W., Vaughan, P.R., Peng, Y., Tyler, M.J., Werkmeister, J.A. and Ramshaw, J.A.M. (2005). Characterization of a protein-based adhesive elastomer secreted by the Australian frog *Notaden bennetti*. *Biomacromolecules* 6, 3300-3312.
- Woodhams, D.C., Rollins-Smith, L.A., Carey, C., Reinert, L., Miera, V., Tyler, M.J., and Alford, R., (2005). Population trends associated with antimicrobial peptide defenses against chytridiomycosis in Australian frogs. *Oecologia* 146:531 – 540.
- Anstis, M. and Tyler, M.J. (2005). Breeding biology of *Litoria microbelos* (Cogger) (Anura: Hylidae). *Trans. R. Soc. S. Aust.* 129(1), 43-48.
- VanCompernelle, S.E., Taylor, R.J., Oswald-Richter, K., Jiang, J., Youree, B.E., Bowie, J.H., Tyler, M.J., Conlon, J.M., Wade, D., KewalRamani, V.N., Dermody, T.S., Aiken, C., Rollins-Smith, L.A. and Unutmaz, D. (2005). Antimicrobial peptides from amphibian skin potently inhibit human immunodeficiency virus infection and transfer of virus from dendritic cells to T cells. *J. Virol.* 79(18): 11598-11606.
- Young, J.E., Tyler, M.J. and Kent, S.A. (2005). A diminutive new species of *Uperolia* (Anura: Myobatrachidae) from the vicinity of Darwin, Northern Territory, Australia. *J. Herpetol.* 39(4): 603 – 609.
- Brinkworth, C.S., Bowie, J.H., Bilusich, D. and Tyler, M.J. (2005). The rothein peptides from the skin secretions of Roth's tree frog *Litoria rothii*. Sequence determination using positive and negative ion electrospray mass spectrometry. *Rapid. Commun. Mass. Spectrom.* 19, 2716 – 2724.
- Boontheung, P., Gao, C., Brinkworth, C.S., Bowie, J.H. and Tyler, M.J. (2006). Is the striped burrowing frog *Litoria alboguttata* a member of *Litoria* or *Cyclorana*? A profiling study using skin peptides as a probe. *Trans. R. Soc. S. Aust.* 130 (1), 1 – 9.
- Bowie, J.H. and Tyler, M.J. (2006). Host defence peptides from Australian Amphibians: caerulein and other neuropeptides. In A. J. Kaplin (Ed.) *The handbook of biologically active peptides*, Elsevier, San Diego.
- Lloyd, D.G., Glattauer, V., Yong Yi Peng, Vaughan, J.A., Werkmeister, M.J., Tyler, M.J. and Ramshaw, J.A.M. (2006). An adhesive secreted by Australian frogs of the genus *Notaden*. In A. M. Smith and J. A. Callow (Eds.) "Biological Adhesives". Springer, Berlin.

- MacLean, M.J., Brinkworth, C.S., Bilusich, D., Bowie, J.H., Doyle, J.R., Llewellyn, L.E., and Tyler, M.J. (2006). New caerin 1 antimicrobial peptides from the skin secretions of the Dainty Green Tree Frog *Litoria gracilentia*. Identification using positive and negative ion electrospray mass spectrometry. *Toxicon* 47:664 - 675.
- Pukala, T.L., Bertozzi, T., Donnellan, S.C., Bowie, J.H., Surinya-Johnson, K.H., Liu, Y., Jackway, R.J., Doyle, J.R., Llewellyn, L.E. and Tyler, M.J. (2006). Host-defence peptide profiles of the skin secretions of interspecific hybrid frogs and their parents, female *Litoria splendida* and male *Litoria caerulea*. *FEBS J.* 3511 – 3519.
- Pukala, T.L., Bowie, J.H., Maselli, V.M., Musgrave, I.F. and Tyler, M.J. (2006). Host-defence peptides from the glandular secretions of amphibians: structure and activity. *Nat. Prod. Rep.* 23: 368 – 393.
- Tyler, M.J., and Lee, M.S.Y. (2006). The origins of Australian frogs. *In* J.R. Merrick, M. Archer, G. Hickey and M. Lee, (Eds) 'Evolution and Zoogeography of Australian Vertebrates'. *Australian Scientific Publishing, Sydney*
- Williams, C., Smith, B., Best, S. and Tyler, M.J. (2006). Mosquito repellents in frog skin. *Biology Letters* 2:242-245.
- Tyler, M.J. (2006) Distribution patterns of amphibians in the Austral-Papuan region *In* W.E.Duellman (Ed.) *Patterns of Distribution of Amphibians. A Global Perspective.* 633pp. Baltimore & London, John Hopkins University Press.
- Hezaveh, N., Ghassemzadeh, F. and Tyler, M.J. (2007). Biosystematic study of Anura in the Markazy Province in Central Iran. *Pakistan J. Biol. Sci.*, 10(8): 1321-1325.
- Tyler, M.J. and Chapman, T.F. (2007). An Asian species of frog *Kaloula pulchra* (Microhylidae) intercepted at Perth International Airport, Australia. *Appl. Herpetol.* 4:86-87.
- Tyler, M.J., Wassersug, R. and Smith, B. (2007). How frogs and humans interact: influences beyond habitat destruction, epidemics and global warming. *Appl. Herpetol.* 4:1-18.
- Burton, T. and Tyler, M.J. (2007) 'Soft tissues in phylogenetic studies of anurans.' *In* H. Heatwole and M. J.Tyler (Eds) *Amphibian Biology, Vol. 7 Systematics.* Surrey Beatty, Chipping Camden, Australia.
- Menzies, J.I., Richards, S.J. and Tyler, M.J. (2008). Systematics of the Australo-Papuan tree frogs known as *Litoria bicolor* (Anura: Hylidae) in the Papuan region. *Aust. J. Zool.* 36(4):1-25.
- Szomor, Z.L., Murrell, G.A.C., Appleyard, R.C. and Tyler, M.J. (2008) Meniscal repair with a new biological glue: an *ex vivo* study. *Techniques in Knee Surgery.* 7(4):261-265.
- Tyler, M.J. (2008) Gastric-Brooding Frogs. P.71 *In* S.Stuart et al. (Eds) *Threatened Amphibians of the World.* Lynx Edicions, Barcelona; IUCN Gland, Switzerland; Conservation International, Virginia, USA. 758pp.
- Tyler, M.J. (2008) Frogs and Toads as Experimental Animals. ANZCCART Fact Sheet A13.
- Jackway, R.J., Bowie, J.H., Bilusich, D., Musgrave, I.F., Surinya-Johnson, K.H., Tyler, M.J. and Eichinger, P.C.H. (2008). The fallaxidin peptides from the skin secretion of the Eastern Dwarf Tree Frog *Litoria fallax*. Sequence determination by positive and negative ion electrospray mass spectrometry: antimicrobial activity and cDNA cloning of the fallaxidins. *Rapid Commun. Mass Spectrom.* 22:3207-3216.

- Jackway, R.J., Pukala, T.L., Maselli, V.M., Musgrave, I.F., Bowie, J.H., Liu, Y., Surinya-Johnson, K.H., Donnellan, S.C., Doyle, J.R., Llewellyn, L.E. and Tyler, M.J. (2008). Disulfide-containing peptides from the glandular skin secretions of froglets of the genus *Crinia*: structure, activity and evolutionary trends. *Regulatory Peptides*. 151: 80-87.
- Jackway, R.J., Maselli, V.M., Musgrave, I.F., Maclean M.J., Tyler, M.J. and Bowie, J.H. (2009). Skin peptides from anurans of the *Litoria rubella* group: sequence determination using electrospray mass spectrometry. Opioid activity of two major peptides. *Rapid Commun. Mass Spectrom.* 23: 1189-1195.
- Bowie, J.H., Jackway, R.J., Separovic, F., Carver, J.A. and Tyler, M.J. (2009). Host-defense peptides from the secretion of the skin glands of frogs and toads: membrane-active peptides from the genera *Litoria*, *Uperoleia* and *Crinia*.
- Tyler, M.J., and Knight, F. (2009) *Field Guide to the Frogs of Australia*. CSIRO Publishing, Collingwood, Australia.
- Tyler, M.J., and Doughty, P. (2009) *Field Guide to Frogs of Western Australia*. 4th Revised Edition, Western Australian Museum, Perth.
- Tyler, M.J., (2009) *Frogs and Toads as Experimental Animals*. ANZCCART Fact Sheet A13. Revised Edition.
- Graham, L.D., Danon, S.J., Johnson, G., Braybrook, C., Hart, N.K., Varley, R.J., Evans, M.D.M., McFarland, G.A., Tyler, M.J., Werkmeister, J.A. and Ramshaw, J.A.M. (In press). Biocompatibility and modification of the protein-based adhesive secreted by the Australian frog *Notaden bennetti*. *J. Biomed. Mater. Res.*
- Millar, N.L., Bradley, T.A., Walsh, N.A., Appleyard, R.C., Tyler, M.J. and Murrell, G.A.C. (in press). Frog glue enhances rotator cuff repair in a laboratory cadavaric model. *J. Shoulder Elbow Surgery*.
- Bilusich, D., Jackway, R.J., Musgrave, I.F., Tyler, M.J., and Bowie, J.H. (in press). The host-defence skin peptide profiles of Peron's Tree Frog *Litoria peronii* in winter and summer. Sequence determination by electrospray mass spectrometry and activities of the peptides. *Rapid. Commun. Mass. Spectrom.*
- Rankin, W.A. and Tyler, M.J. (in press). Vertebrate exostoses: a description and definition of their diversity and nomenclature. *Acta Zoologica Sinica*.